

Provida Pet Drops 600mg/30ml

Sample ID: 2509AFL1585.6335

Internal Lab ID: ATL-31964

Client

Strain: Provida Pet Drops 600mg/30ml

Provida Health

Matrix: Ingestible

Received: 09/05/2025

Lic. #

Type: Tincture

Completed: 10/02/2025

757 SE 17th Street suite 289

Unit Weight: 30 g

Batch#: T-21824-B1

Fort Lauderdale, FL 33316



Summary

Test	Date Tested	Result
Batch		Pass
Cannabinoids	09/05/2025	Complete
Residual Solvents	09/22/2025	Pass
Microbials	09/20/2025	Pass
Mycotoxins	10/01/2025	Pass
Pesticides	10/01/2025	Pass
Heavy Metals	10/02/2025	Pass
Foreign Matter	09/20/2025	Pass

Basic Potency

Complete

0.06%
Total THC

2.39%
Total CBD

2.45%
Total Cannabinoids

Analyte	LOD	LOQ	Result	Result	Analyte	LOD	LOQ	Result	Result
	%	%	%	mg/unit		%	%	%	mg/unit
CBDVa		0.02	ND	ND	CBN		0.02	ND	ND
CBDV		0.02	ND	ND	Δ^9 -THC		0.02	0.06	17.6
CBDa		0.02	ND	ND	Δ^8 -THC		0.02	ND	ND
CBGa		0.02	ND	ND	(6aR,9S)-d10-THC		0.02	ND	ND
CBG		0.02	ND	ND	(6aR,9R)-d10-THC		0.02	ND	ND
CBD		0.02	2.39	716.7	CBC		0.02	ND	ND
THCV		0.02	ND	ND	CBCa		0.02	ND	ND
Δ^8 -THCV		0.02	ND	ND	THCa		0.02	ND	ND
THCVa		0.02	ND	ND	Total			2.45	734.3

Document ID: CoA-1 Potency Rev. 6, Test Method: TM-2

Date Tested: 09/05/2025

Equations: Total Active THC = 9THC + (0.877 * THCA), Total Active CBD = CBD + (0.877 * CBDA)

ISO/IEC 17025:2017 Accreditation No. 118038

NT
Not Tested
Document ID:
Moisture Content

NT
Not Tested
Document ID:
Water Activity

Pass
Document ID: CoA-4 Foreign Matter Rev. 2, Test Method: TM-4.3
Foreign Matter




Paulo Gonzalez
Laboratory Director
10/02/2025

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



Abbreviations: LOQ = Limit of Quantification, LOD = Limit of Detection, ND = Not Detected, NT = Not Tested, ppm = Parts per Million, ppb = Parts per Billion, CFU/g = Colony Forming Units per Gram.

This report shall not be reproduced without written approval of Accurate Test Labs and results are confidential unless disclosure is explicitly authorized. Results relate only to the samples and batches tested. Test results are for informational purposes only and Accurate Test Labs makes no claims as to the safety or risks associated with this product. Pass/Fail results reflect compliance with applicable federal, state, tribal and local regulations unless otherwise specified. The measurement of uncertainty is not included unless explicitly required by law and is available upon request. Testing was performed using validated methodologies and is accredited pursuant to ISO/IEC 17025:2017.



Provida Pet Drops 600mg/30ml

Sample ID: 2509AFL1585.6335

Internal Lab ID: ATL-31964

Client

Strain: Provida Pet Drops 600mg/30ml

Provida Health

Matrix: Ingestible

Received: 09/05/2025

Lic. #

Type: Tincture

Completed: 10/02/2025

757 SE 17th Street suite 289

Unit Weight: 30 g

Batch#: T-21824-B1

Fort Lauderdale, FL 33316

Pesticides

Pass

Analyte	LOD	LOQ	Limit	Result	Status	Analyte	LOD	LOQ	Limit	Result	Status
	PPB	PPB	PPB	PPB			PPB	PPB	PPB	PPB	
Abamectin	0.458	1.068	300	ND	Pass	Fludioxonil	0.005	0.011	3000	ND	Pass
Acephate	0.122	0.285	3000	ND	Pass	Hexythiazox	0.041	0.095	2000	ND	Pass
Acequinocyl	0.026	0.060	2000	ND	Pass	Imazalil	0.100	0.234	100	ND	Pass
Acetamiprid	0.044	0.102	3000	ND	Pass	Imidacloprid	0.028	0.065	3000	ND	Pass
Aldicarb	0.274	0.639	100	ND	Pass	Kresoxim Methyl	0.038	0.089	1000	ND	Pass
Azoxystrobin	0.030	0.069	3000	ND	Pass	Malathion	0.243	0.567	2000	ND	Pass
Bifenazate	0.062	0.144	3000	ND	Pass	Metalaxyl	0.030	0.071	3000	ND	Pass
Bifenthrin	0.018	0.043	500	ND	Pass	Methiocarb	0.005	0.011	100	ND	Pass
Boscalid	0.205	0.479	3000	ND	Pass	Methomyl	0.597	1.393	100	ND	Pass
Captan	0.408	0.953	3000	ND	Pass	Mevinphos	0.142	0.331	100	ND	Pass
Carbaryl	0.015	0.035	500	ND	Pass	Myclobutanil	0.029	0.067	3000	ND	Pass
Carbofuran	0.013	0.031	100	ND	Pass	Naled	0.278	0.649	500	ND	Pass
Chlorantraniliprole	0.267	0.622	3000	ND	Pass	Oxamyl	0.182	0.425	500	ND	Pass
Chlordane	1.188	2.773	100	ND	Pass	Paclobutrazol	0.035	0.081	100	ND	Pass
Chlorfenapyr	0.027	0.064	100	ND	Pass	Parathion Methyl	0.159	0.370	100	ND	Pass
Chlormequat chloride	0.311	0.727	3000	ND	Pass	Pentachloronitrobenzene	0.249	0.582	200	ND	Pass
Chlorpyrifos	0.052	0.122	100	ND	Pass	Permethrin	0.042	0.099	1000	ND	Pass
Clofentezine	0.025	0.058	500	ND	Pass	Phosmet	0.219	0.512	200	ND	Pass
Coumaphos	0.029	0.068	100	ND	Pass	Piperonyl Butoxide	0.008	0.019	3000	ND	Pass
Cyfluthrin	1.210	2.823	1000	ND	Pass	Prallethrin	0.175	0.409	400	ND	Pass
Cypermethrin	0.336	0.784	1000	ND	Pass	Propiconazole	0.062	0.145	1000	ND	Pass
Daminozide	0.093	0.217	100	ND	Pass	Propoxur	0.006	0.015	100	ND	Pass
Diazinon	0.012	0.028	200	ND	Pass	Pyrethrins			1000	ND	Pass
Dichlorvos	0.089	0.207	100	ND	Pass	Pyridaben	0.014	0.032	3000	ND	Pass
Dimethoate	0.006	0.015	100	ND	Pass	Spinetoram			3000	ND	Pass
Dimethomorph	0.021	0.049	3000	ND	Pass	Spinosad			3000	ND	Pass
Ethoprophos	0.038	0.088	100	ND	Pass	Spiromesifen	0.010	0.023	3000	ND	Pass
Etofenprox	0.114	0.266	100	ND	Pass	Spirotetramat	0.019	0.045	3000	ND	Pass
Etoxazole	0.010	0.024	1500	ND	Pass	Spiroxamine	0.008	0.019	100	ND	Pass
Fenhexamid	0.024	0.056	3000	ND	Pass	Tebuconazole	0.022	0.051	1000	ND	Pass
Fenoxycarb	0.018	0.043	100	ND	Pass	Thiacloprid	0.033	0.077	100	ND	Pass
Fenpyroximate	0.031	0.073	2000	ND	Pass	Thiamethoxam	0.023	0.055	1000	ND	Pass
Fipronil	0.008	0.018	100	ND	Pass	Trifloxystrobin	0.014	0.032	3000	ND	Pass
Flonicamid	0.039	0.090	2000	ND	Pass						

Document ID: CoA-2 Pesticides Rev. 1, Test Method: TM-1

Date Tested: 10/01/2025

Action limits based on Florida Department of Agriculture and Consumer Services, Rule 5K-4.034 § 5(b)



Paulo Gonzalez
Laboratory Director
10/02/2025

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



Abbreviations: LOQ = Limit of Quantification, LOD = Limit of Detection, ND = Not Detected, NT = Not Tested, ppm = Parts per Million, ppb = Parts per Billion, CFU/g = Colony Forming Units per Gram.

This report shall not be reproduced without written approval of Accurate Test Labs and results are confidential unless disclosure is explicitly authorized. Results relate only to the samples and batches tested. Test results are for informational purposes only and Accurate Test Labs makes no claims as to the safety or risks associated with this product. Pass/Fail results reflect compliance with applicable federal, state, tribal and local regulations unless otherwise specified. The measurement of uncertainty is not included unless explicitly required by law and is available upon request. Testing was performed using validated methodologies and is accredited pursuant to ISO/IEC 17025:2017.



Provida Pet Drops 600mg/30ml

Sample ID: 2509AFL1585.6335

Internal Lab ID: ATL-31964

Client

Strain: Provida Pet Drops 600mg/30ml

Provida Health

Matrix: Ingestible

Received: 09/05/2025

Lic. #

Type: Tincture

Completed: 10/02/2025

757 SE 17th Street suite 289

Unit Weight: 30 g

Batch#: T-21824-B1

Fort Lauderdale, FL 33316

Microbials

Pass

Analyte	LOD CFU/g	LOQ CFU/g	Limit CFU/g	Result CFU/g	Status
Total Aerobic Count	10			NT	NT
Aspergillus (niger, fumigatus, flavus, terreus)	1		1	Not Detected in 1g	Pass
Bile-Tolerant Gram-Negative Bacteria				NT	NT
Shiga toxin-producing E. Coli	1		1	Not Detected in 1g	Pass
Salmonella	1		1	Not Detected in 1g	Pass
Staphylococcus aureus	10			NT	NT
Total Combined Yeast and Mold	10		100000	ND	Pass

Document ID: CoA-3 Microbials Rev. 2, Test Method: TM-4.1, TM-4.2

Date Tested: 09/20/2025

Pass/Fail criteria based on CMTL sample testing Florida Department of Health Emergency Rule for 2020.

Foreign Matter

Pass

Analyte	Limit % by weight	Result % by weight	Status
Packaging Contaminants	0.01	ND	Pass
Insects	0.01	ND	Pass
Feces	0.005	ND	Pass
Mold	0.01	ND	Pass
FM Other		ND	Pass
Hair	0.01	ND	Pass

Document ID: CoA-4 Foreign Matter Rev. 2, Test Method: TM-4.3

Date Tested: 09/20/2025



Paulo Gonzalez
Laboratory Director
10/02/2025

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



Abbreviations: LOQ = Limit of Quantification, LOD = Limit of Detection, ND = Not Detected, NT = Not Tested, ppm = Parts per Million, ppb = Parts per Billion, CFU/g = Colony Forming Units per Gram.

This report shall not be reproduced without written approval of Accurate Test Labs and results are confidential unless disclosure is explicitly authorized. Results relate only to the samples and batches tested. Test results are for informational purposes only and Accurate Test Labs makes no claims as to the safety or risks associated with this product. Pass/Fail results reflect compliance with applicable federal, state, tribal and local regulations unless otherwise specified. The measurement of uncertainty is not included unless explicitly required by law and is available upon request. Testing was performed using validated methodologies and is accredited pursuant to ISO/IEC 17025:2017.



Accurate Test Labs
1305 NW 65th Pl
Fort Lauderdale, FL 33309

(954) 515-0200
<http://accuratetestlab.com>

QA Testing

4 of 6

Provida Pet Drops 600mg/30ml

Sample ID: 2509AFL1585.6335

Internal Lab ID: ATL-31964

Client

Strain: Provida Pet Drops 600mg/30ml

Provida Health

Matrix: Ingestible

Received: 09/05/2025

Lic. #

Type: Tincture

Completed: 10/02/2025

757 SE 17th Street suite 289

Unit Weight: 30 g

Batch#: T-21824-B1

Fort Lauderdale, FL 33316

Heavy Metals

Pass

Analyte	LOQ	Limit	Result	Status
	µg/g	µg/g	µg/g	
Arsenic	0.1	1.5	ND	Pass
Cadmium	0.1	0.5	ND	Pass
Lead	0.1	0.5	ND	Pass
Mercury	0.1	3	ND	Pass



Document ID: CoA-5 Heavy Metals Rev. 1, Test Method: NA
Date Tested: 10/02/2025



Paulo Gonzalez
Laboratory Director
10/02/2025

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



Abbreviations: LOQ = Limit of Quantification, LOD = Limit of Detection, ND = Not Detected, NT = Not Tested, ppm = Parts per Million, ppb = Parts per Billion, CFU/g = Colony Forming Units per Gram.

This report shall not be reproduced without written approval of Accurate Test Labs and results are confidential unless disclosure is explicitly authorized. Results relate only to the samples and batches tested. Test results are for informational purposes only and Accurate Test Labs makes no claims as to the safety or risks associated with this product. Pass/Fail results reflect compliance with applicable federal, state, tribal and local regulations unless otherwise specified. The measurement of uncertainty is not included unless explicitly required by law and is available upon request. Testing was performed using validated methodologies and is accredited pursuant to ISO/IEC 17025:2017.



Provida Pet Drops 600mg/30ml

Sample ID: 2509AFL1585.6335

Internal Lab ID: ATL-31964

Client

Strain: Provida Pet Drops 600mg/30ml

Provida Health

Matrix: Ingestible

Received: 09/05/2025

Lic. #

Type: Tincture

Completed: 10/02/2025

757 SE 17th Street suite 289

Unit Weight: 30 g

Batch#: T-21824-B1

Fort Lauderdale, FL 33316

Residual Solvents

Pass

Analyte	LOD	LOQ	Limit	Result	Status	Analyte	LOD	LOQ	Limit	Result	Status
	µg/g	µg/g	µg/g	µg/g			µg/g	µg/g	µg/g	µg/g	
1,1 Dichloroethene		0.7	8	ND	Pass	Ethylene Oxide		0.4	5	ND	Pass
Ethylene Dichloride		0.2	2	ND	Pass	Heptane		40	5000	ND	Pass
1,4-Dioxane				ND	Tested	Hexanes			250	ND	Pass
2,2-Dimethyl- Butane				ND	Tested	Isobutane				ND	Tested
2,3-Dimethyl- Butane				ND	Tested	Isopentane				ND	Tested
2-Butanol				ND	Tested	Isopropanol		40	500	ND	Pass
2-Ethoxy-Ethanol				ND	Tested	Isopropyl-Acetate				ND	Tested
2-Methyl-Pentane				ND	Tested	m+p Xylene				0.871	Tested
3-Methyl-Pentane				ND	Tested	Methanol		20	250	ND	Pass
Acetone		59	750	ND	Pass	Methylene Chloride		10	125	ND	Pass
Acetonitrile		5	60	ND	Pass	Butane		71		ND	Tested
Benzene		0.08	1	ND	Pass	Hexane		5		ND	Tested
Butanes			5000	ND	Pass	Pentane		59		ND	Tested
Chloroform		0.2	2	ND	Pass	Neopentane				ND	Tested
Cumene				ND	Tested	o-Xylene				0.310	Tested
Cyclohexane				ND	Tested	Pentanes			750	ND	Pass
Ethanol		79	5000	ND	Pass	Propane		165	5000	ND	Pass
Ethyl Acetate		20	400	ND	Pass	Tetrahydrofuran				ND	Tested
Ethyl-Benzene				ND	Tested	Toluene		12	150	ND	Pass
Ethyl Ether		40	500	ND	Pass	Trichloroethene		2	25	ND	Pass
Ethylene Glycol				ND	Tested	Xylenes		12	150	<12,000	Pass

ACCURATE
TEST LAB

Document ID: CoA-6 Residual Solvents Rev. 2, Test Method: TM-3

Date Tested: 09/22/2025

Action limits based on Florida Department of Agriculture and Consumer Services, Rule 5K-4.034 § 5(c);



Paulo Gonzalez
Laboratory Director
10/02/2025

Abbreviations: LOQ = Limit of Quantification, LOD = Limit of Detection, ND = Not Detected, NT = Not Tested, ppm = Parts per Million, ppb = Parts per Billion, CFU/g = Colony Forming Units per Gram.

This report shall not be reproduced without written approval of Accurate Test Labs and results are confidential unless disclosure is explicitly authorized. Results relate only to the samples and batches tested. Test results are for informational purposes only and Accurate Test Labs makes no claims as to the safety or risks associated with this product. Pass/Fail results reflect compliance with applicable federal, state, tribal and local regulations unless otherwise specified. The measurement of uncertainty is not included unless explicitly required by law and is available upon request. Testing was performed using validated methodologies and is accredited pursuant to ISO/IEC 17025:2017.

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com





Accurate Test Labs
1305 NW 65th Pl
Fort Lauderdale, FL 33309

(954) 515-0200
<http://accuratetestlab.com>

QA Testing

6 of 6

Provida Pet Drops 600mg/30ml

Sample ID: 2509AFL1585.6335

Internal Lab ID: ATL-31964

Client

Strain: Provida Pet Drops 600mg/30ml

Provida Health

Matrix: Ingestible

Received: 09/05/2025

Lic. #

Type: Tincture

Completed: 10/02/2025

757 SE 17th Street suite 289

Unit Weight: 30 g


Batch#: T-21824-B1

Fort Lauderdale, FL 33316

Mycotoxins

Pass

Analyte	LOD µg/kg	LOQ µg/kg	Limit µg/kg	Result µg/kg	Status
B1	0.0226	0.0528		ND	Tested
B2	0.0329	0.0768		ND	Tested
G1	0.0046	0.0107		ND	Tested
G2	0.0108	0.0252		ND	Tested
Ochratoxin A	0.0259	0.0604	20	ND	Pass
Total Aflatoxins			20	ND	Pass



Document ID: CoA-7 Mycotoxins Rev. 1, Test Method: TM-1
Date Tested: 10/01/2025



Paulo Gonzalez
Laboratory Director
10/02/2025

Abbreviations: LOQ = Limit of Quantification, LOD = Limit of Detection, ND = Not Detected, NT = Not Tested, ppm = Parts per Million, ppb = Parts per Billion, CFU/g = Colony Forming Units per Gram.

This report shall not be reproduced without written approval of Accurate Test Labs and results are confidential unless disclosure is explicitly authorized. Results relate only to the samples and batches tested. Test results are for informational purposes only and Accurate Test Labs makes no claims as to the safety or risks associated with this product. Pass/Fail results reflect compliance with applicable federal, state, tribal and local regulations unless otherwise specified. The measurement of uncertainty is not included unless explicitly required by law and is available upon request. Testing was performed using validated methodologies and is accredited pursuant to ISO/IEC 17025:2017.

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com

